



落蓋式側溝

■形状図



■目地詳細図



■規格表

内寸法 a × c	形状寸法(mm)												参考重量 (kg)
	a	a1	b	b1	c	d	d'	e	f	t	t'	H	
300×600	300	520	260	420	600	50	55	80	80	95	145	775	6 4 4
300×700	300	520	254	424	700	50	55	85	85	95	145	880	7 4 6
300×800	300	520	246	436	800	50	55	95	95	95	145	990	9 0 3
300×900	300	520	240	450	900	50	55	105	100	95	145	1095	1 0 4 0
300×1000	300	520	234	454	1000	50	55	110	110	95	145	1205	1 1 8 0
400×600	400	630	352	512	600	55	55	80	80	110	150	790	6 8 1
400×700	400	630	344	524	700	55	55	90	90	110	150	900	8 2 6
400×800	400	630	336	526	800	55	55	95	95	110	150	1005	9 4 1
400×900	400	630	328	538	900	55	55	105	105	110	150	1115	1 1 0 9
400×1000	400	630	320	540	1000	55	55	108	110	110	150	1220	1 2 3 7


落蓋式側溝

■規格表

内寸法 a × c	形状寸法(mm)													参考重量 (kg)
	a	a1	b	b1	c	d	d'	e	f	t	t'	H		
500×700	500	750	440	620	700	60	60	90	90	125	195	915		8 9 3
500×800	500	750	436	626	800	60	60	98	95	125	165	1020		1 0 1 0
500×900	500	750	428	628	900	60	60	100	100	125	165	1125		1 1 2 5
500×1000	500	750	420	640	1000	60	60	110	110	125	165	1235		1 3 1 3
500×1100	500	750	412	652	1100	60	60	120	120	125	165	1345		1 5 1 7
500×1200	500	750	404	654	1200	60	60	125	125	125	165	1450		1 6 7 0
500×1300	500	750	396	680	1300	60	60	142	150	125	165	1575		2 0 5 5
500×1400	500	750	388	680	1400	60	60	146	150	125	165	1675		2 1 9 0
500×1500	500	750	380	680	1500	60	60	150	150	125	165	1775		2 3 3 0
600×600	600	860	560	730	600	60	65	85	90	145	215	835		8 8 6
600×700	600	860	542	732	700	60	65	95	95	145	215	940		1 0 1 8
600×800	600	860	534	744	800	60	65	105	100	145	215	1045		1 1 4 4
600×900	600	860	526	736	900	60	65	105	105	145	215	1150		1 2 6 5
600×1000	600	860	516	726	1000	60	65	105	105	145	215	1250		1 3 2 9
600×1100	600	860	508	728	1100	60	65	110	110	145	215	1355		1 4 6 2
600×1200	600	860	500	740	1200	60	65	120	120	145	215	1465		1 6 7 3
700×700	700	960	644	834	700	60	65	95	95	155	225	950		1 0 7 2
700×900	700	960	628	838	900	60	65	105	105	155	225	1160		1 3 0 0
800×800	800	1075	736	936	800	60	70	100	100	170	245	1070	(7.5)	1 2 7 0
800×900	800	1075	728	944	900	60	70	105	105	170	245	1175	(7.5)	1 3 8 4
800×1000	800	1075	720	944	1000	60	70	110	110	170	245	1280	(7.5)	1 5 1 1
800×1100	800	1075	712	954	1100	60	70	121	115	170	245	1385	(7.5)	1 7 2 0
800×1200	800	1075	704	954	1200	60	70	125	125	170	245	1495	(7.5)	1 8 6 5
900×900	900	1185	828	1052	900	65	70	112	105	180	260	1185	(7.5)	1 4 8 8
900×1000	900	1185	820	1052	1000	65	70	116	120	180	260	1300	(7.5)	1 7 1 0
900×1100	900	1185	812	1052	1100	65	70	120	120	180	260	1400	(7.5)	1 8 0 0

落蓋式側溝ふた

■形状図




■規格表

呼び名	寸法(mm)			参考重量 (kg)
	b	b1	t	
4 5 0	572	562	120	8 0
6 0 0	732	722	145	1 2 4
7 0 0	832	822	155	1 5 8
8 0 0	947	932	170	1 9 1
9 0 0	1047	1032	180	2 2 3
1 0 0 0	1157	1142	185	2 5 4

ノイズレス側溝ふた

■形状図





■規格表

呼び名	寸法(mm)			参考重量 (kg)
	b	b1	t	
3 0 0	411	401	95	4 5
4 0 0	511	501	110	6 5
5 0 0	621	611	125	9 1
6 0 0	732	722	145	1 2 4

誘導標付側溝ふた（落ちふた式U形側溝ふた3種タイプ）



◆景観型◆



■規格表

呼び名	寸法(mm)					参考重量 (kg)
	b	b ₁	b ₂	t	h	
300	412	402	115	95	950	4.3
400	512	502	115	110	950	6.3

◆スノーポールかぶせ型◆



■規格表

呼び名	寸法(mm)					参考重量 (kg)
	b	b ₁	b ₂	t	h	
300	412	402	115	95	900	4.3
400	512	502	115	110	900	6.3