


コスト削減商品



新こだわりの 外フラット式**集水マス**




▲スタンダードマス

可変側溝用のASマス、PU-3側溝用のPUマス、
共にスタンダードタイプとプレートタイプがあります。


PUマスはPU-3側溝、ASマスはアート可変側溝、
VS側溝と**総幅が同じ**でマスの張り出しがありません。
ノイズレスゴムにより、**騒音防止**に効果があります。

スタンダード



ウラ

普通目110° 開閉GR



PU3型マス

スタンダード

正方形

長方形

ボルト固定も製造可能です

グレーチング

呼び名	寸法 (mm)												参考重量kg (受枠込)	呼び名	寸法 (mm)			参考重量kg
	A	A'	B	B'	H'	eA	eB	dA	dB	dA	d'B	t			A	B	h	
250×250S	250	460	250	460	450	105	105	45	45	60	60	130	106	250×250	354	362	53.5	8.5
250×250A					550								130					
250×250B					700								161					
250×250C					800								181					
250×250D					900							149	232					
250×250E					1100								277					
250×500S	250	460	500	710	450	105	105	45	45	60	60	130	139	250×500	605	352	53.5	14.3
250×500A					550								159					
250×500B					700								196					
250×500C					800								221					
250×500D					900							150	301					
250×500E					1100								358					
300×300S	300	520	300	520	500	110	110	50	50	60	60	135	136	300×300	404	412	59.5	11.1
300×300A					600								164					
300×300B					700								187					
300×300C					800								211					
300×300D					1000							155	308					
300×300E					1200								360					
300×300F					1400								411					
300×600S	300	520	600	820	500	110	110	50	50	60	60	135	177	300×600	713	408	58.0	19.4
300×600A					600								205					
300×600B					700								234					
300×600C					800								262					
300×600D					1000							155	406					
300×600E					1200								472					
300×600F					1400								539					
400×400S	400	630	400	630	610	115	115	55	55	60	60	150	204	400×400	501	512	75.0	17.7
400×400A					710								236					
400×400B					810								264					
400×400C					910							170	358					
400×400D					1110								424					
400×400E					1310								489					
400×400F					1510								552					
400×600S	400	630	600	820	610	115	110	50	50	65	60	150	281	400×600	710	514	75.0	24.9
400×600A					710								320					
400×600B					810								359					
400×600C					910								397					
400×600D					1110								475					
400×600E					1310								547					
400×600F					1510								621					
500×500S	500	750	500	750	730	125	125	60	60	65	65	165	300	500×500	616	624	90.0	28.9
500×500A					830								338					
500×500B					930								373					
500×500C					1130								515					
500×500D					1330								594					
500×500E					1530								676					
500×500F					1730								750					
500×600S	500	750	600	820	730	125	110	50	50	75	60	165	361	500×600	710	634	90.0	33.0
500×600A					830								406					
500×600B					930								448					
500×600C					1130								534					
500×600D					1330								619					
500×600E					1530								696					
500×600F					1730								777					

AS型マス

スタンダード

正方形

長方形

ボルト固定も製造可能です

グレーチング

呼び名	寸 法 (mm)												参考重量kg (受枠込)	呼び名	寸 法 (mm)			参考重量 kg
	A	A'	B	B'	H'	eA	eB	dA	dB	d'A	d'B	t			A	B	h	
300 × 300 × 400	300	500	300	500	460	100	100	50	50	50	50	140	137	300X300	385	390	59.5	10.1
300 × 300 × 500					560								162					
300 × 300 × 600					660								196					
300 × 300 × 700					760								221					
300 × 300 × 800					860								245					
300 × 300 × 900					960								269					
300 × 300 × 1000					1060								293					
300 × 300 × 1200					1260								353					
300 × 300 × 1400					1460								400					
300 × 600 × 400					300								500					
300 × 600 × 500	560	198																
300 × 600 × 600	660	247																
300 × 600 × 700	760	276																
300 × 600 × 800	860	304																
300 × 600 × 900	960	332																
300 × 600 × 1000	1060	360																
300 × 600 × 1200	1260	402																
300 × 600 × 1400	1460	451																
400 × 400 × 500	400	610	400	610		565	105	105	55	55	50	50		150	208	400X400	485	492
400 × 400 × 600					665	250												
400 × 400 × 800					865	312												
400 × 400 × 1000					1065	371												
400 × 400 × 1200					1265	445												
400 × 400 × 1500					1565	535												
400 × 500 × 600	400	610	500	720	665	105	110	55	55	50	55	150	279	400X500	600	484	64.0	20.4
400 × 500 × 800					865								348					
400 × 500 × 1000					1065								415					
400 × 500 × 1200					1265								492					
400 × 400 × 1500					1565								590					
400 × 600 × 600	400	610	600	830	665	105	115	55	60	50	55	150	308	400X600	700	484	64.0	23.8
400 × 600 × 800					865								386					
400 × 600 × 1000					1065								464					
400 × 600 × 1200					1265								539					
400 × 600 × 1500					1565								646					
400 × 800 × 600	400	610	800	1080	665	105	140	45	75	60	65	150	410	400X800	450	510	64.0	34.0
400 × 800 × 800					865								517					
400 × 800 × 1000					1065								622					
400 × 800 × 1200					1265								722					
400 × 800 × 1400					1465								820					
400 × 800 × 1600					1665								916					
500 × 500 × 600	500	720	500	720	675	110	110	55	55	55	55	175	314	500X500	595	602	75.0	28.8
500 × 500 × 800					875								405					
500 × 500 × 1000					1075								484					
500 × 500 × 1200					1275								556					
500 × 500 × 1400					1475								628					
500 × 500 × 1700					1775								733					
500 × 600 × 800	500	720	600	830	875	110	115	55	60	55	55	175	432	500X600	702	596	75.0	33.5
500 × 600 × 1000					1075								521					
500 × 600 × 1200					1275								604					
500 × 600 × 1400					1475								684					
500 × 600 × 1700					1775								798					
500 × 1000 × 600	500	720	1000	1300	675	110	150	50	80	60	70	175	536	500X1000	554	610	75.0	52.2
500 × 1000 × 800					875								672					
500 × 1000 × 1000					1075								803					
500 × 1000 × 1200					1275								930					
500 × 1000 × 1400					1475								1050					
500 × 1000 × 1600					1675								1168					
600 × 600 × 800	600	830	600	830	885	115	115	60	60	55	55	200	491	600X600	346	702	85.0	38.2
600 × 600 × 1000					1085								583					
600 × 600 × 1200					1285								669					
600 × 600 × 1400					1485								755					
600 × 600 × 1600					1685								850					
600 × 600 × 1800					1885								932					
600 × 700 × 800	600	830	700	970	885	115	135	60	70	55	65	255	613	600X700	404	702	85.0	44.6
600 × 700 × 1000					1085								730					
600 × 700 × 1200					1285								840					
600 × 700 × 1400					1485								950					
600 × 700 × 1600					1685								1051					
600 × 700 × 1800					1885								1154					

AS型マス

スタンダード

正方形

長方形


ボルト固定も製造可能です

グレーチング

呼び名	寸法 (mm)												参考重量kg (受枠込)	呼び名	寸法 (mm)			参考重量kg
	A	A'	B	B'	H'	eA	eB	dA	dB	d'A	d'B	t			A	B	h	
700×700×1000	700	970	700	970	1085	135	135	70	70	65	65	255	946	700X700	398	819	85.0	53.2
700×700×1250					1335								1139					
700×700×1500					1585								1324					
700×700×1750					1835								1511					
700×700×2000					2085								1685					
800×800×1000	800	1080	800	1080	1100	140	140	75	75	65	65	270	1125	800X800	450	922	100.0	66.4
800×800×1250					1350								1353					
800×800×1500					1600								1580					
800×800×1750					1850								1794					
800×800×2000					2100								2001					
800×800×2200					2300								2076					
800×1000×1000	800	1080	1000	1300	1100	140	150	75	80	65	70	310	1303	800X1000	555	922	100.0	94.0
800×1000×1250					1350								1567					
800×1000×1500					1600								1819					
800×1000×1750					1850								2070					
800×1000×2000					2100								2306					
800×1000×2250					2350								2537					
900×900×1000	900	1190	900	1190	1110	145	145	75	75	70	70	305	1331	900X900	505	1030	110.0	99.0
900×900×1250					1360								1595					
900×900×1500					1610								1851					
900×900×1750					1860								2100					
900×900×2000					2110								2331					
900×900×2200					2310								2521					
1000×1000×1000	1000	1300	1000	1300	1135	150	150	80	80	70	70	330	1514	1000X1000	555	1132	134.5	200.8
1000×1000×1250					1385								1813					
1000×1000×1500					1635								2095					
1000×1000×1750					1885								2375					
1000×1000×2000					2135								2646					
1000×1000×2400					2535								3059					

※ 400×800・500×1000と600×600以上のグレーチングは2枚割れとする

マスベース



樹ベース(正方形)

呼び名	寸法 (mm)					参考重量kg
	A	B	a	b	t	
250×250用	560	560	150	150	100	69
300×300用	620	620	200	200	100	81
400×400用	730	730	300	300	100	104
500×500用	850	850	400	400	100	132
600×600用	930	930	500	500	100	142
700×700用	1070	1070	500	500	100	210
800×800用	1180	1180	500	500	100	270
900×900用	1290	1290	500	500	100	336
1000×1000用	1400	1400	500	500	100	406

樹ベース(長方形)

呼び名	寸法 (mm)					参考重量kg
	A	B	a	b	t	
250×500用	810	560	400	150	100	96
300×600用	930	620	500	200	100	112
400×500用	820	710	400	300	100	113
400×600用	930	710	500	300	100	125
400×800用	1180	710	500	300	100	162
500×600用	930	820	500	400	100	138
500×1000用	1400	820	500	300	100	236
600×700用	1070	930	500	500	100	176
800×1000用	1400	1180	500	500	100	332



株式会社イビコン

本 社 岐阜県大垣市津村町2丁目65番地
TEL (0584)82-5100 代 FAX (0584)81-9596
E-mail: info@ibicon.co.jp URL: http://www.ibicon.co.jp

愛知営業所

愛知県一宮市丹陽町五日市場宇屋敷259番地サンライフ五条101号室
TEL (0586)64-5873 FAX (0586)64-5881

三重営業所

三重県いなべ市大安町大井田2160番地5
TEL (0594)77-0478 FAX (0594)77-0956

京滋営業所

滋賀県栗東市安養寺7丁目1-18 エステートビル2F
TEL (077)552-3751 FAX (077)553-0172

長浜事務所

滋賀県長浜市湖北町速水2972番地
TEL (0749)78-1230 FAX (0749)78-2279

関東営業所

神奈川県横浜市港北区新横浜3丁目21-5 ワイズ新横浜802号
TEL (045)594-6640 FAX (045)594-6641

北関東営業所

埼玉県上尾市愛宕1丁目17-12 ルネス・ディアハイツ103号室
TEL (048)871-9247 FAX (048)871-9257

阪神営業所

兵庫県神戸市中央区加納町2丁目10-16 カサベルデみやこ101号
TEL (078)806-8280 FAX (078)806-8281

九州営業所

熊本県熊本市中央区新大江3-2-3 ALVEARE水前寺604号室
TEL (096)234-6146 FAX (096)234-6147